

Natural choice for your home



unfinished hardwood

DECKING 2011

European Collection





what you need to know

*Respect for the environment
by using forest handling.*


technical especifications



Brasil Tropical Pisos offers you a catalog with all necessary technical specifications for you to choose the most appropriate product for you customer portfolio. The sales department should be consulted first for orders of specific products. You can make downloads from our site.

use of clip

The clip system is used in diverse countries and it optimizes the installation of the deck. There are diverse options in dimensions and materials in the market. It is important for the customer to plan its use in advance by knowing what the distance among pieces he/she needs is. Inform the clip dealer about the dimensions and design of the chosen deck. The clip is not included in our products.




installation

The precision for the dimensions of our products guarantees installation easiness; however, we always suggest you to consult a specialized technician.

Remember you have to order an additional 5% for the calculation of your project when acquiring your flooring or deck, since there can be misplacements during the installation.

packaging

Our products are carefully packed after production. The entire process is reviewed by quality control and the strictest procedure regulations are followed. Brasil Tropical Pisos cannot be hold accountable for bad package handling during unload.



Sales

Brasil Tropical Pisos does not perform direct sales to final consumers, but our sales department is ready to advice you when searching for the nearest dealer or distributor.
Call our sales department.



natural wood variations

Solid wooden flooring is a natural material that will add value to your house. However, wood has particularities that should be taken into account:

The solid flooring is natural and there can be differences in coloration among pieces. One tree is not identical to another; that is what makes of solid wooden flooring a unique piece. Brasil Tropical Pisos cannot be hold accountable for color variations and granulation found in a flooring lot. Talk to your supplier for him to introduce you to variations available.

Wood is similar to human skin; its natural color can change when it is under sunlight. Some species can become darker than others.

Wood can expand or contract according to exposed moisture levels. This not a manufacture defect, but a reaction that can be abated by using finishes that will reduce the action of moisture over the flooring.



www.brasiltropicalpisos.com


Fone/Fax: 55 66 3512 2000 • sales@brasiltropicalpisos.com

exotic hardwood
DECKING 2011


European Collection



USINAGEM LATERAL (A/B)



USINAGEM TOPO (C/D)



CDT - CONTROLE DE DOCUMENTOS TÉCNICOS


Produto: Deck Europeu 1 - 100,00 x 21,00mm
 Cód. Produto: dck_euro_100_21
 Arquivo Digital: dt_eng_dck_euro_100_21_v_2010_01
 Versão: dck_euro_100_21_v_2010_01
 Catálogo: tec_deck_europeu_eng_2010_v1

Dimensional Reading / mm

← 55,80 → → Nominal dimension
 (55,00 - 56,60) → Tolerance

· Drawings are scaleless / All measurements are in millimeters
 · Dimensions may change according to internal quality procedures.

Viewer



Certificado
NBR ISO 9001



Product: Deck Europeu 1 - 100,00 x 21,00mm

Code: dck_euro_100_21

Thickness: 21,00 mm

Width: 100 mm

Length 01: 6' a 10'

Length 02: 3' a 5 1/2'

Version: dck_euro_100_21_v_2010_01

Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Ipê (Tabebuia sp)*
- *Tatajuba (Bagassa guianensis)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*

Shipment Composition: Container DRY - 40"

- *Cumaru (Dipteryx sp)* - 24,00m³ [(+10%) ou (-10%)]
- *Garapeira (Apuleia sp)* - 27,50m³ [(+10%) ou (-10%)]
- *Ipê (Tabebuia sp)* - 24,00m³ [(+10%) ou (-10%)]

Drying:

KD > Dry in a 14- 16 % drying stove

Weight/ KD

- *Cumaru (Dipteryx sp)* - 1.250Kg/m³ [(+10%) ou (-10%)]
- *Garapeira (Apuleia sp)* - 950Kg/m³ [(+10%) ou (-10%)]
- *Ipê (Tabebuia sp)* - 1.150Kg/m³ [(+10%) ou (-10%)]


Milling

· Decking suitable for external use with smooth even-level finish cut on both sides, round edges, 5-mm upper radius and 2-mm lower radius, with tongue-and-groove planks, grooved on the sides and tongued and grooved on the ends.


Pallet Stacking

· Steel taped. Stacks of specific length and width. Stacked with separators and waxed on top.

USINAGEM LATERAL (A/B)



USINAGEM TOPO (C/D)



CDT - CONTROLE DE DOCUMENTOS TÉCNICOS


Produto: Deck Europeu 2 - 140,00 x 21,00mm
 Cód. Produto: dck_euro_140_21
 Arquivo Digital: dt_eng_dck_euro_140_21_v_2010_01
 Versão: dck_euro_140_21_v_2010_01
 Catálogo: tec_deck_europeu_eng_2010_v1

Dimensional Reading / mm

55,80 → Nominal dimension
 (55,00 - 56,60) → Tolerance

· Drawings are scaleless / All measurements are in millimeters
 · Dimensions may change according to internal quality procedures.

Viewer



Certificado
NBR ISO 9001



Product: Deck Europeu 2 - 140,00 x 21,00mm
Code: dck_euro_140_21
Thickness: 21,00 mm
Width: 140 mm
Length 01: 6' a 10'
Length 02: 3' a 5 1/2'
Version: dck_euro_140_21_v_2010_01

Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Ipê (Tabebuia sp)*
- *Tatajuba (Bagassa guianensis)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*

Shipment Composition: Container DRY - 40"

- *Cumaru (Dipteryx sp)* - 24,00m³ [(+10%) ou (-10%)]
- *Garapeira (Apuleia sp)*- 27,50m³ [(+10%) ou (-10%)]
- *Ipê (Tabebuia sp)*- 24,00m³ [(+10%) ou (-10%)]

Drying:

KD> Dry in a 14- 16 % drying stove

Weigth/ KD

- *Cumaru (Dipteryx sp)*- 1.250Kg/m³ [(+10%) ou (-10%)]
- *Garapeira (Apuleia sp)*- 950Kg/m³ [(+10%) ou (-10%)]
- *Ipê (Tabebuia sp)* - 1.150Kg/m³ [(+10%) ou (-10%)]


Milling

· Decking suitable for external use with smooth even-level finish cut on both sides, round edges, 5-mm upper radius and 2-mm lower radius, with tongue-and-groove planks, grooved on the sides and tongued and grooved on the ends.


Pallet Stacking

· Steel taped. Stacks of specific length and width. Stacked with separators and waxed on top.

USINAGEM LATERAL (A/B)



USINAGEM TOPO (C/D)



CDT - CONTROLE DE DOCUMENTOS TÉCNICOS


Produto: Deck Europeu 3 - 130,00 x 21,00mm
 Cód. Produto: dck_euro_130_21
 Arquivo Digital: dt_eng_dck_euro_130_21_v_2010_01
 Versão: dck_euro_130_21_v_2010_01
 Catálogo: tec_deck_europeu_eng_2010_v1

Dimensional Reading / mm

← 55,80 → → Nominal dimension
 (55,00 - 56,60) → Tolerance

· Drawings are scaleless / All measurements are in millimeters
 · Dimensions may change according to internal quality procedures.

Viewer



Product: Deck Europeu 3 - 130,00 x 21,00mm
Code: dck_euro_130_21
Thickness: 21,00 mm
Width: 130 mm
Length 01: 6' a 10'
Length 02: 3' a 5 1/2'
Version: dck_euro_130_21_v_2010_01

Product available in the following types

- *Cumaru* (*Dipteryx sp*)
- *Garapeira* (*Apuleia sp*)
- *Ipê* (*Tabebuia sp*)
- *Tatajuba* (*Bagassa guianensis*)
- *Sucupira preta* (*Bowdichia sp*)
- *Maçaranduba* (*Manilkara sp*)

Shipment Composition: Container DRY - 40"

- *Cumaru* (*Dipteryx sp*) - 24,00m³ [(+10%) ou (-10%)]
- *Garapeira* (*Apuleia sp*) - 27,50m³ [(+10%) ou (-10%)]
- *Ipê* (*Tabebuia sp*) - 24,00m³ [(+10%) ou (-10%)]

Drying:

KD> Dry in a 14- 16 % drying stove

Weigth/ KD

- *Cumaru* (*Dipteryx sp*) - 1.250Kg/m³ [(+10%) ou (-10%)]
- *Garapeira* (*Apuleia sp*) - 950Kg/m³ [(+10%) ou (-10%)]
- *Ipê* (*Tabebuia sp*) - 1.150Kg/m³ [(+10%) ou (-10%)]


Milling

· Decking suitable for external use with smooth even-level finish cut on both sides, round edges, 5-mm upper radius and 2-mm lower radius, with tongue-and-groove planks, grooved on the sides and tongued and grooved on the ends.


Pallet Stacking

· Steel taped. Stacks of specific length and width. Stacked with separators and waxed on top.

USINAGEM LATERAL (A/B)



USINAGEM TOPO (C/D)



CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Deck Europeu Perfil Oculto - 100 x 21,00mm

Cód. Produto: dck_euro_po_100_21

Arquivo Digital: dt_eng_dck_euro_po_100_21_v_2010_01

Versão: dck_euro_po_100_21_v_2010_01


Catálogo: tec_deck_europeu_eng_2010_v1

Dimensional Reading / mm

← 55,80 → → Nominal dimension
(55,00 - 56,60) → Tolerance

· Drawings are scaleless / All measurements are in millimeters
· Dimensions may change according to internal quality procedures.

Viewer



Product: Deck Europeu Perfil Oculto - 100 x 21,00mm

Code: dck_euro_po_100_21

Thickness: 21,00 mm

Width: 100 mm

Length 01: 6' a 10'

Length 02: 3' a 5 1/2'

Version: dck_euro_po_100_21_v_2010_01

Product available in the following types

- *Cumaru* (*Dipteryx sp*)
- *Garapeira* (*Apuleia sp*)
- *Ipê* (*Tabebuia sp*)
- *Tatajuba* (*Bagassa guianensis*)
- *Sucupira preta* (*Bowdichia sp*)
- *Maçaranduba* (*Manilkara sp*)

Shipment Composition: Container DRY - 40"

- *Cumaru* (*Dipteryx sp*) - 24,00m³ [(+10%) ou (-10%)]
- *Garapeira* (*Apuleia sp*) - 27,50m³ [(+10%) ou (-10%)]
- *Ipê* (*Tabebuia sp*) - 24,00m³ [(+10%) ou (-10%)]

Drying:

KD> Dry in a 14- 16 % drying stove

Weight/ KD

- *Cumaru* (*Dipteryx sp*) - 1.250Kg/m³ [(+10%) ou (-10%)]
- *Garapeira* (*Apuleia sp*) - 950Kg/m³ [(+10%) ou (-10%)]
- *Ipê* (*Tabebuia sp*) - 1.150Kg/m³ [(+10%) ou (-10%)]


Milling

· Decking suitable for external use with smooth even-level finish cut on both sides, round edges, 5-mm upper radius and 2-mm lower radius, with tongue-and-groove planks, grooved on the sides and tongued and grooved on the ends.


Pallet Stacking

· Steel taped. Stacks of specific length and width. Stacked with separators and waxed on top.

USINAGEM LATERAL (A/B)



USINAGEM TOPO (C/D)



Certificado
NBR ISO 9001



Product: Deck Europeu Perfil Oculto - 130 x 21,00mm

Code: dck_euro_po_130_21

Thickness: 21,00 mm

Width: 130 mm

Length 01: 6' a 10'

Length 02: 3' a 5 1/2'

Version: dck_euro_po_130_21_v_2010_01

Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Ipê (Tabebuia sp)*
- *Tatajuba (Bagassa guianensis)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*

Shipment Composition: Container DRY - 40"

- *Cumaru (Dipteryx sp)* - 24,00m³ [(+10%) ou (-10%)]
- *Garapeira (Apuleia sp)* - 27,50m³ [(+10%) ou (-10%)]
- *Ipê (Tabebuia sp)* - 24,00m³ [(+10%) ou (-10%)]

Drying:

KD> Dry in a 14- 16 % drying stove

Weigth/ KD

- *Cumaru (Dipteryx sp)* - 1.250Kg/m³ [(+10%) ou (-10%)]
- *Garapeira (Apuleia sp)* - 950Kg/m³ [(+10%) ou (-10%)]
- *Ipê (Tabebuia sp)* - 1.150Kg/m³ [(+10%) ou (-10%)]

Milling

·Decking suitable for external use with smooth even-level finish cut on both sides, round edges, 5-mm upper radius and 2-mm lower radius, with tongue-and-groove planks, grooved on the sides and tongued and grooved on the ends.

Pallet Stacking

·Steel taped. Stacks of specific length and width. Stacked with separators and waxed on top.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Deck Europeu Perfil Oculto - 130 x 21,00mm

Cód. Produto: dck_euro_po_130_21

Arquivo Digital: dt_eng_dck_euro_po_130_21_v_2010_01

Versão: dck_euro_po_130_21_v_2010_01


Catálogo: tec_deck_europeu_eng_2010_v1

Dimensional Reading / mm

← 55,80 → → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.

Viewer



The natural choice for your home



www.brasiltropicalpisos.com

Fone/Fax: 55 66 3512 2000 ● sales@brasiltropicalpisos.com

Sales



Leandro Bianchini Serafin

Alta Floresta ★ Mato Grosso ★ Brasil
Fone/Fax: +55 66 3512 2000
Celular: +55 66 9996 1659
Skype: leandroserafin
M S N : leandroserafin@hotmail.com
E-mail: leandro@brasiltropicalpisos.com



Roni Santana

102-2680 Matheson Blvd.
Mississauga, ON L4W 0A5 - Canadá
Phone: 1 905 267 3483
Toll free: 1 866 431 7258
F a x : 1 905 248 3551
E-mail: rsantana@brasiltropicalpisos.com



www.brasiltropicalpisos.com

Fone/Fax: 55 66 3512 2000 ● sales@brasiltropicalpisos.com

exotic hardwood
DECKING 2011

European Collection

