

Natural choice for your home



unfinished hardwood
FLOORING 2011





what you need to know

*Respect for the environment
by using forest handling.*

natural wood variations

Solid wooden flooring is a natural material that will add value to your house. However, wood has particularities that should be taken into account:

The solid flooring is natural and there can be differences in coloration among pieces. One tree is not identical to another; that is what makes of solid wooden flooring a unique piece. Brasil Tropical Pisos cannot be hold accountable for color variations and granulation found in a flooring lot. Talk to your supplier for him to introduce you to variations available.

Wood is similar to human skin; its natural color can change when it is under sunlight. Some species can become darker than others.

Wood can expand or contract according to exposed moisture levels. This not a manufacture defect, but a reaction that can be abated by using finishes that will reduce the action of moisture over the flooring.

technical especifications












Brasil Tropical Pisos offers you a catalog with all necessary technical specifications for you to choose the most appropriate product for you customer portfolio. The sales department should be consulted first for orders of specific products. You can make downloads from our site.




packaging

Our products are carefully packed after production. The entire process is reviewed by quality control and the strictest procedure regulations are followed. Brasil Tropical Pisos cannot be hold accountable for bad package handling during unload.

espécies de madeira

-  **Jatobá** (*Hymenaea sp*)
-  **Garapeira** (*Apuleia sp*)
-  **Muiracatiara** (*Astronium sp*)
-  **Tauari** (*Couratari sp*)
-  **Ipê** (*Tabebuia sp*)
-  **Tatajuba** (*Bagassa guianensis*)
-  **Maçaranduba** (*Manilkara sp*)
-  **Cumaru** (*Dipteryx sp*)
-  **Sucupira preta** (*Bowdichia sp*)




www.brasiltropicalpisos.com

Fone/Fax: 55 66 3512 2000 • sales@brasiltropicalpisos.com


unfinished hardwood
FLOORING 2011



SIDE MILLING (A/B)



TOP MILLING (C/D)



*Chamfro podendo variar até 2,5mm



Certificado
NBR ISO 9001



Product: Flooring Micro bevel - 57,15 mm

Code: p_mb_5715

Thickness: 19,05 mm

Width: 57,15 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_mb_5715_v_2010_01

Product available in the following types

- *Cumaru* (*Dipteryx sp*)
- *Garapeira* (*Apuleia sp*)
- *Taurari* (*Couratari sp*)
- *Tatajuba* (*Bagassa guianensis*)
- *Ipê* (*Tabebuia sp*)
- *Sucupira preta* (*Bowdichia sp*)
- *Maçaranduba* (*Manilkara sp*)
- *Muiracatiara* (*Astronium sp*)
- *Jatobá* (*Hymenaea sp*)

Shipment Composition:

Container DRY - 20"

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe

Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.

Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Micro bevel - 57,15 mm

Cód. Produto: p_mb_5715

Arquivo Digital: dt_eng_piso_mb_5715_v_2010_01

Versão: p_mb_5715_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm


55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.


Viewer



SIDE MILLING (A/B)




TOP MILLING (C/D)



*Chamfro podendo variar até 2,5mm



Certificado
NBR ISO 9001



Product: Flooring Micro bevel - 76,20 mm

Code: p_mb_7620

Thickness: 19,05 mm

Width: 76,2 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_mb_7620_v_2010_01

Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Taurari (Couratari sp)*
- *Tatajuba (Bagassa guianensis)*
- *Ipê (Tabebuia sp)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*
- *Muiracatiara (Astronium sp)*
- *Jatobá (Hymenaea sp)*

Shipment Composition:

Container DRY - 20"

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe

Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.

Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Micro bevel - 76,20 mm

Cód. Produto: p_mb_7620

Arquivo Digital: dt_eng_piso_mb_7620_v_2010_01

Versão: p_mb_7620_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm


55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.


Viewer



SIDE MILLING (A/B)




TOP MILLING (C/D)



*Chamfro podendo variar até 2,5mm



Certificado
NBR ISO 9001



Product: Flooring Micro bevel - 101,60 mm

Code: p_mb_10160

Thickness: 19,05 mm

Width: 101,60 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_mb_10160_v_2010_01

Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Tauri (Couratari sp)*
- *Tatajuba (Bagassa guianensis)*
- *Ipê (Tabebuia sp)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*
- *Muiracatiara (Astronium sp)*
- *Jatobá (Hymenaea sp)*

Shipment Composition:

Container DRY - 20'

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe

Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.

Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Micro bevel - 101,60 mm

Cód. Produto: p_mb_10160

Arquivo Digital: dt_eng_piso_mb_10160_v_2010_01

Versão: p_mb_10160_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm


55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.


Viewer




SIDE MILLING (A/B)



TOP MILLING (C/D)



*Chamfro podendo variar até 2,5mm



Product: Flooring Micro bevel - 127,00 mm

Code: p_mb_12700

Thickness: 19,05 mm

Width: 127,00 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_mb_12700_v_2010_01

·Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Taurari (Couratari sp)*
- *Tatajuba (Bagassa guianensis)*
- *Ipê (Tabebuia sp)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*
- *Muiracatiara (Astronium sp)*
- *Jatobá (Hymenaea sp)*

·Shipment Composition:

Container DRY - 20"

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe

Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.

Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Micro bevel - 127,00 mm

Cód. Produto: p_mb_12700

Arquivo Digital: dt_eng_piso_mb_12700_v_2010_01

Versão: p_mb_12700_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm


55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.


Viewer



SIDE MILLING (A/B)



TOP MILLING (C/D)



CDT - CONTROLE DE DOCUMENTOS TÉCNICOS



Produto: Piso Square Edge - 76,20 mm
 Cód. Produto: p_se_7620
 Arquivo Digital: dt_eng_piso_se_7620_v_2010_01
 Versão: p_se_7620_v_2010_01
 Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm

55,80 → Nominal dimension
 (55,00 - 56,60) → Tolerance

· Drawings are scaleless / All measurements are in millimeters
 · Dimensions may change according to internal quality procedures.

Viewer



Product: Flooring Square Edge - 76,20 mm

Code: p_se_7620

Thickness: 19,05 mm

Width: 76,2 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_se_7620_v_2010_01

·Product available in the following types

- *Cumaru* (*Dipteryx* sp)
- *Garapeira* (*Apuleia* sp)
- *Taurari* (*Couratari* sp)
- *Tatajuba* (*Bagassa guianensis*)
- *Ipê* (*Tabebuia* sp)
- *Sucupira preta* (*Bowdichia* sp)
- *Maçaranduba* (*Manilkara* sp)
- *Muiracatiara* (*Astronium* sp)
- *Jatobá* (*Hymenaea* sp)

·Shipment Composition:

Container DRY - 20'

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe


Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.


Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

SIDE MILLING (A/B)



TOP MILLING (C/D)



Product: Flooring Square Edge - 82,55 mm

Code: p_se_8255

Thickness: 19,05 mm

Width: 82,55 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_se_8255_v_2010_01

Product available in the following types

- *Cumaru* (*Dipteryx* sp)
- *Garapeira* (*Apuleia* sp)
- *Taurari* (*Couratari* sp)
- *Tatajuba* (*Bagassa guianensis*)
- *Ipê* (*Tabebuia* sp)
- *Sucupira preta* (*Bowdichia* sp)
- *Maçaranduba* (*Manilkara* sp)
- *Muiracatiara* (*Astronium* sp)
- *Jatobá* (*Hymenaea* sp)

Shipment Composition:

Container DRY - 20'

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe

Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.

Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Square Edge - 82,55 mm

Cód. Produto: p_se_8255

Arquivo Digital: dt_eng_piso_se_8255_v_2010_01

Versão: p_se_8255_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm


55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.


Viewer



SIDE MILLING (A/B)



TOP MILLING (C/D)



CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Square Edge - 101,60 mm

Cód. Produto: p_se_10160

Arquivo Digital: dt_eng_piso_se_10160_v_2010_01

Versão: p_se_10160_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm


55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

· Drawings are scaleless / All measurements are in millimeters
· Dimensions may change according to internal quality procedures.

Viewer



Certificado
NBR ISO 9001



Product: Flooring Square Edge - 101,60 mm

Code: p_se_10160

Thickness: 19,05 mm

Width: 101,60 mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_se_10160_v_2010_01

·Product available in the following types

- *Cumaru* (*Dipteryx* sp)
- *Garapeira* (*Apuleia* sp)
- *Taurari* (*Couratari* sp)
- *Tatajuba* (*Bagassa guianensis*)
- *Ipê* (*Tabebuia* sp)
- *Sucupira preta* (*Bowdichia* sp)
- *Maçaranduba* (*Manilkara* sp)
- *Muiracatiara* (*Astronium* sp)
- *Jatobá* (*Hymenaea* sp)

·Shipment Composition:

Container DRY - 20'

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe


Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.


Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

SIDE MILLING (A/B)



TOP MILLING (C/D)



Product: Flooring Square Edge - 127,00 mm

Code: p_se_12700

Thickness: 19,05mm

Width: 127,00mm

Length: 1' a 7'

Variation: 3' a 3 1/2'

Version: p_se_12700_v_2010_01

·Product available in the following types

- *Cumaru (Dipteryx sp)*
- *Garapeira (Apuleia sp)*
- *Taurari (Couratari sp)*
- *Tatajuba (Bagassa guianensis)*
- *Ipê (Tabebuia sp)*
- *Sucupira preta (Bowdichia sp)*
- *Maçaranduba (Manilkara sp)*
- *Muiracatiara (Astronium sp)*
- *Jatobá (Hymenaea sp)*

·Shipment Composition:

Container DRY - 20'

57,15 mm = 1.140 m² 101,60 mm = 1.127 m²

82,55 = 1.098 m² 127,00mm = 1.127 m²

Drying:

KD > Dry in a 6-8 % drying stove for the US and Europe

Milling

Hard, paint-free floor suitable for internal use, with smooth even-level finish cut on the top and grooved on bottom side, tongue-and-groove planks, grooved on the sides and on the top, allowing for straight or micro-bevel edge milling.

Pallet Stacking

Plastic wrapped twice, reinforced wooden box with plastic taped-packaging and steel-taped wooden box.

CDT - CONTROLE DE DOCUMENTOS TÉCNICOS

Produto: Piso Square Edge - 127,00 mm

Cód. Produto: p_se_12700

Arquivo Digital: dt_eng_piso_se_12700_v_2010_01

Versão: p_se_12700_v_2010_01


Catálogo: tec_flooring_eng_2010_v1

Dimensional Reading / mm

55,80 → Nominal dimension
(55,00 - 56,60) → Tolerance

- Drawings are scaleless / All measurements are in millimeters
- Dimensions may change according to internal quality procedures.

Viewer



Natural choice for your home



www.brasiltropicalpisos.com

Fone/Fax: 55 66 3512 2000 • sales@brasiltropicalpisos.com




Leandro Bianchini Serafin

Alta Floresta ★ Mato Grosso ★ Brasil
Fone/Fax: + 55 66 3512 2000
Celular: + 55 66 9996 1659
Skype: leandroserafin
M S N : leandroserafin@hotmail.com
E - mail: leandro@brasiltropicalpisos.com



Roni Santana

1 0 2 - 2 6 8 0 Matheson Blvd.
Mississauga, ON L4W 0A5 - Canadá
Phone: 1 9 0 5 2 6 7 3 4 8 3
Toll free: 1 8 6 6 4 3 1 7 2 5 8
F a x : 1 9 0 5 2 4 8 3 5 5 1
E - mail: rsantana@brasiltropicalpisos.com



www.brasiltropicalpisos.com

Fone/Fax: 55 66 3512 2000 • sales@brasiltropicalpisos.com

unfinished hardwood
FLOORING 2011

